

A187

POLYAMIDE RESIN COMPOSITION AND ITS PRODUCTION

Patent Number: JP8012881
Publication date: 1996-01-16
Inventor(s): KAWAI MICHIO; others: 02
Applicant(s): MITSUBISHI CHEM CORP
Requested Patent: ☐ JP8012881
Application Number: JP19940231748 19940927
Priority Number(s):
IPC Classification: C08L77/00; C08K3/34
EC Classification:
Equivalents:

Abstract

PURPOSE:To obtain a composition, having a high strength and rigidity, excellent in ductility, good in molding appearance and excellent in gas barrier properties.

CONSTITUTION:This polyamide resin composition comprises an intercalation compound containing a phyllosilicate having ≥ 30 mequiv./100g cation exchange capacity as a host and a quaternary ammonium ion having a ≥ 12 C alkyl group as a guest in an amount of 1-20wt.% expressed in terms of inorganic ash content and a polyamide resin having 70-500 number-average polymerization degree. Furthermore, this method for producing the resin composition is provided and a polyamide-based resin composition comprises the polyamide resin and an acid-modified polyolefin resin.

Data supplied from the esp@cenet database - I2